

Assessment Form No. \_\_\_\_\_

\*Required fields.

## ASSESSMENT & VENDOR DETAILS

Auction Name: \*  Weaner & Yearling  Eastern States  
 TAS Cattle  WA Cattle

Auction Date: \* \_\_\_\_\_

Assessment Date: \* \_\_\_\_\_

Form of Assessment: \*  Individual  Group

No. Head in lot: \* \_\_\_\_\_

Stock Code: \* \_\_\_\_\_

Sex: \_\_\_\_\_

Sex Composition: \_\_\_\_\_

Bid Types: \*  \$/Head  c/kg Live  c/kg Dressed

### AGENT DETAILS

Agent AuctionsPlus ID: \* \_\_\_\_\_

Assessor declares financial interest in this lot:  Yes  No

Assessor declares a conflict of interest in this lot:  Yes  No

Is this a Parallel Assessment?:  Yes  No

If Yes, Parallel Assessor No: \_\_\_\_\_

Parallel Assessor Name: \_\_\_\_\_

Agent AuctionsPlus ID: \* \_\_\_\_\_

Is this a Joint Agency offering?:  Yes  No

If Yes, Joint Agent: \_\_\_\_\_

Joint Agent Contact Name: \* \_\_\_\_\_

Joint Agent Contact Details: \* \_\_\_\_\_

### VENDOR DETAILS

PIC(s): \* (where stock are located) \_\_\_\_\_

Vendors PIC has been assigned an Accessed Cotton Trash Status  Yes  No

Cattle in the consignment have been transferred from a PIC with access Cotton Trash Status in the last 60 days.  Yes  No

If yes, date transferred to vendor PIC: \* \_\_\_\_\_

Vendor AuctionsPlus ID: \* \_\_\_\_\_

Vendor Name: \* \_\_\_\_\_

Address: \* (where stock are located) \_\_\_\_\_

Town: \* \_\_\_\_\_

Postcode: \* \_\_\_\_\_

Accreditations / Certifications :

EU  MSA  If Yes, Cert. No. \_\_\_\_\_

LPA  Organic  If Yes, Cert. No. \_\_\_\_\_

PCAS  If Yes, Cert. No. \_\_\_\_\_

## DELIVERY DETAILS

Earliest Delivery Date: \* \_\_\_\_\_

Latest Delivery Date: \* \_\_\_\_\_

Forward contract? (tick if yes)

Delivery Points: \* \_\_\_\_\_

Nearest Delivery Town: \* \_\_\_\_\_

Show delivery coordinate in catalogue? (tick if yes)

Trucking Access: \* \_\_\_\_\_

TICK AREA \*  Yes  No

If yes, does Vendor guarantee clear of the dip? \* \_\_\_\_\_

If yes, clearing point: \* \_\_\_\_\_

Clearing Facility (Vendor to Transport) \* \_\_\_\_\_

Nominated Clearing Facility: \* \_\_\_\_\_

Clearing Facility \_\_\_\_\_

On Farm (certified dip) \_\_\_\_\_

Delivery Comments: \_\_\_\_\_

Vendor/Agent willing to scan & transfer cattle at Buyer Request & Buyer Cost?  Yes  No

If yes, cost per head \$ \_\_\_\_\_

Weighing Instructions: (If offered c/kg Live) \_\_\_\_\_

### DELIVERY AGENT DETAILS

Contact Person: \* \_\_\_\_\_

Delivery Agent ID: \* \_\_\_\_\_

Mobile: \* \_\_\_\_\_ Work \_\_\_\_\_

After hours \_\_\_\_\_ Fax \_\_\_\_\_

Email: \* \_\_\_\_\_

Agent declares financial interest in this lot:  Yes  No

Agent declares a conflict of interest in this lot:  Yes  No

AGENCY TERMS OF TRADE: \* \_\_\_\_\_

### SPECIAL CONDITIONS OF SALE

\*Required fields.

## VENDOR SUPPLIED DETAILS

### GRAZING / FEEDING DETAILS

Grazing Conditions:\*

Return same?  Yes  No

If No, return to:\*

Feedlot Cert. No. Days on lot

### WEANING DETAILS (required for cattle under 12 months)

Have Cattle been weaned?  Yes  No

If Yes, weaning date:

Weaning Details:

### BREEDING DETAILS

Vendor bred:\*

If No, vendor has owned stock for:\*

If No, stock history:\*

100% of cattle in this lot are Lifetime Traceable?  Yes  No  Unknown

If No, details\*:

If bull(s), is this a registered sire?  Yes  No

If Yes, Sire ID\* Sire Url

Bloodlines / full breeding history

### JOINING DETAILS

Not Station Mated:

Any Access to bulls/ stags?  Yes  No

If Yes, Date of last access:

Details:

Station Mated  Station Mated  No

100% preg tested not detectable

Continuously joined?  Yes  No

If No Date bull(s) in Date bull(s) out

Bull breed(s)

Any access to bulls/ stags outside this joining period?

Yes  No

If Yes, details:

AI'd  AI date

Bull breed(s)

\*\* Please note; if stud bulls used please link to ABRI in media\*\*

Joined to registered Bulls:  Yes  No If Yes, Bull ID:

Lot has been pregnancy tested?  Yes  No

If Yes, tested by  Vet  Non-vet contractor

Vendor/Station If Vet, NCPD ID

Certificate/statement available?  Yes  No

Tested by: (name)

Pregnancy Test Date:

No. head preg tested in calf:

Term in Months: (at time of assessment) From To

Pregnancy Terms\*  Aplus terms  No pregnancy terms

Seller terms\* if Yes: Tolerance\* \_\_\_\_\_% Timeframe\* \_\_\_\_\_Days

Additional joining details

### HEALTH / VET TREATMENTS

HGP treated?  Yes  If Yes, product

Within WHP or ESI?  Yes  No

If Yes product\*

Treatment Date

Length of WHP/ESI (Days)

	Treatment Type	Date	Product
1			
2			
3			
4			
5			
6			

Chemical residue

PCAS eligible  Russian eligible  Saudi eligible

Slaughter only

JBAS Score

MOVEMENT RESTRICTIONS  Yes  No

If Yes, details:

NLIS DEVICE  Eartag  Rumen Bolus  Eartag and Bolus

If Eartag and Bolus, Number of head with Bolus:

### VENDOR COMMENTS

### VENDOR DECLARATION\*

I (full name)

Address:

I declare that; I am the owner and/ or person responsible for the husbandry of the cattle in this consignment and all the information provided to the assessor on this cattle assessment is true and correct. I also agree to comply with the AuctionsPlus Pty Limited User Agreement and Sale Terms which include giving sole agency to my agent until 3 days post-sale.

\*Signed:

\*Date:

\*Producers are advised to retain appropriate records to support this declaration. Persons making false statements may be liable under fair trading and other relevant state legislations. \*

\*Required fields.

## ASSESSED DETAILS

Lot Identification (Tag/Brands) \_\_\_\_\_

BREEDS\*

	SIRE	DAM	NO. HEAD
1			
2			
3			
4			
5			
6			
7			

Extended breed description: \_\_\_\_\_

### BURR/SEED IN COATS

Any burr, seeds or weeds declared noxious in the area observed

in the coats ?  Yes  No

If **yes**, details \_\_\_\_\_

### HORN STATUS (No. head)\*

Polled  Horned

Tipped  Dehorned

Scurred

### AGE

Age:\*  Month  Years

Low\*  High\*

Age breakup \_\_\_\_\_

Age brands \_\_\_\_\_

### DENTITION (No. head)

Nominating dentition?  Yes  No

If **yes**, No. head mouthed

0T	1-2T	3-4T	5-6T
7T	8T	Worn	Broken

Detail any worn or broken mouths \_\_\_\_\_

### MUSCLE SCORE (%)

A  B  C  D  E

### CALVES AT FOOT (cows and calves only)

Number calves at foot\* \_\_\_\_\_

Calves at foot sired by\* \_\_\_\_\_

Sired by registered bulls\*  Yes  No If **Yes**, Bull ID\*: \_\_\_\_\_

Age of calves\*  Month  Weeks

Low  High

Sex composition \_\_\_\_\_

\*Required fields.

## WEIGHTS (INDIVIDUAL ASSESSMENT)

Number handled:\* \_\_\_\_\_ Hours off feed:\* \_\_\_\_\_  
 Weight gain \_\_\_\_\_ kg / day

Dressing Percentage:\* \_\_\_\_\_ %  
 (Apply your dressing % to the weight at assessment - not curfew/adjusted weight)

Delivery adjustment %:\* \_\_\_\_\_  
 (Adjust for the curfew before trucking or industry standard for pay weight)

**\*\*AuctionsPlus recommends 100% Cattle Sampled/Weighed on all assessments to maximise accuracy and buyer confidence. Minimum 50% sample is required for your lot to be catalogued\*\***

### INDIVIDUAL WEIGHT AND FAT

	1	2	3	4	5	6	7	8	9	10
Liveweight (kg)										
Fat depth (mm)										
Liveweight (kg)	11	12	13	14	15	16	17	18	19	20
Fat depth (mm)										
Liveweight (kg)	21	22	23	24	25	26	27	28	29	30
Fat depth (mm)										
Liveweight (kg)	31	32	33	34	35	36	37	38	39	40
Fat depth (mm)										
Liveweight (kg)	41	42	43	44	45	46	47	48	49	50
Fat depth (mm)										
Liveweight (kg)	51	52	53	54	55	56	57	58	59	60
Fat depth (mm)										
Liveweight (kg)	61	62	63	64	65	66	67	68	69	70
Fat depth (mm)										
Liveweight (kg)	71	72	73	74	75	76	77	78	79	80
Fat depth (mm)										
Liveweight (kg)	81	82	83	84	85	86	87	88	89	90
Fat depth (mm)										
Liveweight (kg)	91	92	93	94	95	96	97	98	99	100
Fat depth (mm)										

### CALVES AT FOOT WEIGHTS (cows and calves only)

Number handled \_\_\_\_\_  
 Low wt (kg) \_\_\_\_\_

High wt (kg) \_\_\_\_\_  
 Average wt (kg) \_\_\_\_\_  
 Calves were bulk weighed:\*  Yes  No

\*Required fields.

**COMMENTS**

HIP HEIGHT		BREEDING QUALITY		STORE CONDITION		CARCASE QUALITY GRADE %	
>150 cm	%	Excellent	%	Fwd/prime	%	HQ1	%
131 – 150cm	%	Very good	%	Fwd/store	%	GAQ	%
110 – 130cm	%	Good	%	Store	%	FAQ	%
<110 cm	%	Fair	%	Back/store	%	3MX	%
		Plain	%	Poor	%	CNR	%

Comment on fat score 1 cattle \*

**TEMPERAMENT\*** (see temperament definitions on the next page)

In the Yards  (required for Individual assessment)

Docile		Head
Quiet		Head
Slightly Stirry		Head
Stirry		Head
Aggressive		Head

In the Crush  (required for Individual assessment)

Docile		Head
Quiet		Head
Slightly Stirry		Head
Stirry		Head
Aggressive		Head

In the Paddock  (required for Individual assessment)

Docile		Head
Quiet		Head
Slightly Stirry		Head
Stirry		Head
Aggressive		Head

Total Head entered

/

/

/

Stock have been handled with (tick):

Aerial (helicopters, gyro's and planes)

Bikes

Dogs

Horses

Low stress stock handling practices

**Temperament Comments**

Notable Traits (Identify any faults or not true to type traits for the breed, class or age of the stock)	Number of Head	Notable Traits (Identify any faults or not true to type traits for the breed, class or age of the stock)	Number of Head

**ASSESSOR COMMENTS**

What best describes this lot?:\*

Assessor comments:\*

Assessor Signature\*

Date\*

\*Required fields.

## REVIEW ASSESSMENT

Form of Reserve: \$/head  c/kg live  c/kg dressed  Reserve: Start:

Bid Increment \$/ Head: \$5  \$10  \$50  \$100

### Breeding Quality

Breeding quality relates to the quality of the breeding programme and suitability for their end use. Descriptions of Breeding Quality should not be affected by condition.

#### Excellent

Top sires used and top standards of selection and management, i.e. the small percentage of really first class stock. A line with a large culling taken out.

#### Very Good

Good quality sires used with heavy culling and selection programme – stock with a reputation for growing out/fattening/producing well.

A line with a reasonable culling taken out.

#### Good

Quality sires used, reasonable selection practices i.e. average stock.

A line that has had some culls removed.

#### Fair

Average quality sires used, but otherwise little selection practiced.

A line that needs a heavy cull taken out.

#### Plain

Very poor breeding quality, egg inbreeding, structural or conformation faults expected to limit future growth and/or fattening/production ability. Could apply to culls or at best seconds or thirds from a line of stock.

### Temperament

#### Docile

Settled and somewhat dull disposition. Gentle and easily handled, moves slowly when in a mob, needs encouragement to move away from handler.

Cattle easily handled individually in yards and paddock, without eagerness to return to mob.

Does not pull on headgate when in crush and exits calmly.

#### Quiet

Displaying a quiet & calm disposition.

Cattle easily handled individually and in mob. Handler in control at all times.

May exhibit some stubbornness. Exits crush promptly, may try to back out of crush, pull on head gate and some flicking of tail.

#### Slightly Stirry

Manageable but impatient and moves quickly.

Handling individually increases nervous behaviour, and exhibits clear signs of eagerness to return to mob. Handler in control when handled in a mob.

Reluctant to stand quietly in crush, tail flicking, repeated pushing and pulling on headgate. Exits crush briskly.

#### Stirry

Out of control and jumpy. Struggles and clearly uncomfortable when handled in a mob. Runs fenceline and may jump when penned individually. Continuous tail flicking and bellowing in crush. Large flight distance, exits crush wildly.

Considered scared of human interaction rather than aggressive. Not recommended for inexperienced handlers.

#### Aggressive

Aggressive behaviour, fearful, extreme agitation. Continuous movement when handled in a mob, disrupts handling of other cattle in mob.

May exhibit attack behaviour when handled alone. May jump or continuously bellow while in crush. Exits crush frantically.

# Scanning/ Pregnancy Statement

**\*\*Please upload this document if you do not have the original scanning/ pregnancy certificate\*\***

Property Name:

Property Address:

PIC No:

Assessment No:

Assessor Name:

Agency:

Ph:

Tested by:  Vet  Non-vet contractor  Vendor/Station  Assessor/Agent

If Vet, NCPD ID

Name:

Company:

Address:

Date Scanned:

Electronic file with pregnancy status and EID available  Yes  No

## Results

Mob					Total No. Tested
Preg Tested in calf					
Preg Tested non-detectable					

\*I \_\_\_\_\_ am the owner/manager of the livestock described above and believe this information is accurate to the best of my knowledge.

\_\_\_\_\_ (Signature) \_\_\_\_\_ (Date)

\*I \_\_\_\_\_ Scanned/ Manually Pregnancy Tested (circle appropriate) the above livestock and believe this information is accurate to the best of my knowledge.

\_\_\_\_\_ (Signature) \_\_\_\_\_ (Date)

\*I \_\_\_\_\_ am the assessor of the livestock described above and believe this information is accurate to the best of my knowledge.

\_\_\_\_\_ (Signature) \_\_\_\_\_ (Date)

**\*\*Please state in sale terms if there are any guarantees on live calf status. Unless stated, or agreed to in writing prior to the sale, there are no guarantees on pregnancy aging or the delivery of a live calf\*\***

# NATIONAL CATTLE HEALTH DECLARATION

V: 16/04/20

Property Identification Code (PIC) of this property

This MUST be the PIC of the property that the stock is being moved

--	--	--	--	--	--	--	--	--	--

from

Attached to accompanying NVD/Maybill No.

No. of cattle in consignment .....

--	--	--	--	--	--	--	--	--	--

## Biosecurity and health information

1. Has the owner owned all the cattle in this consignment since birth? Y  N

2. Does the property of origin have a completed on-farm biosecurity plan? Y  N

3. Have these cattle been tested for the presence of bovine viral diarrhoea virus (BVDV, pestivirus)?  
If tested, were any cattle found to be persistently infected? Y  N

4. Have these cattle been tested for the presence of BVDV (pestivirus) antibody? Test results ..... Y  N

5. Has the source herd had a test for John's disease (JD)?  
If so, which test? Check Test  Sample Test  HEC Test (dairy only)   
Was the result negative? Y  N  Pending  Date ...../...../.....

6. Has the property of origin had an occurrence of clinical JD in any species in the past five years? J-DDS of ..... J-BAS of ..... Y  N  Unsure

7. BEEF CATTLE: On the property of origin, have cattle been co-grazed with dairy cattle? Y  N  Unsure   
See explanatory note for advice on co-grazing with non-bovine species

8. Any other relevant health information

## Treatments

Treatments for	Product name and type (e.g., pour-on, drench)	Date of treatment within last 6 months
Parasites	.....	..... / .....
Ticks	.....	..... / .....
Pain relief	.....	..... / .....
Other treatment	.....	..... / .....

## Current vaccinations for the cattle being moved (see explanatory note)

Clostridial (e.g. 5 in 1):	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Leptospira (e.g. 7 in 1):	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Pestivirus:	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
JD (Silurum):	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Botulism:	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Bovine ephemeral fever:	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Tick fever:	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Yibrio:	Y <input type="checkbox"/> N <input type="checkbox"/>	Date	..... / .....
Other vaccinations (specify):	.....	Date	..... / .....

## Declaration (see explanatory notes for further information)

.....  
(Full name)  
.....  
(Address)  
.....  
(Town/suburb)  
.....  
(State)  
.....  
(Postcode)  
I, .....  
declare that I am the owner or the person responsible for the husbandry of the cattle and that all the information in this document is true and correct. I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that I have inspected the animals and deem them to be healthy, free of signs of disease and fit to travel.

## Signature\*

.....  
\*Only the person whose name appears above may sign this declaration, or make amendments which must be initiated  
Tel. No. ( ) .....  
Date / / .....  
Email .....  
.....



# NATIONAL CATTLE HEALTH DECLARATION EXPLANATORY NOTES

## OVERVIEW

**The Cattle Health Declaration is a legal document. Please complete accurately before signing.**

Cattle Health Declarations are a way for producers to provide information about the health status of the cattle they are selling. Buyers should ask vendors for a Declaration and use the information provided to determine the health risks associated with the animals on offer.

Some states/territories require testing or certification additional to that outlined in this document e.g. Johnes disease (JD) in WA and for Enzootic Bovine Leucosis (EBL) in Tasmania. Please check the entry requirements for any interstate movements at: [www.animalhealthaustralia.com.au/what-we-do/endemic-disease/livestock-movements](http://www.animalhealthaustralia.com.au/what-we-do/endemic-disease/livestock-movements)

The original of this form is to be attached to the National Vendor Declaration (NVD) form accompanying the cattle, if applicable. A duplicate remains with the vendor; it is recommended the vendor retains a copy of this declaration for seven (7) years.

## QUESTIONS 3 & 4: BOVINE VIRAL DIARRHOEA VIRUS

### (PESTIVIRUS) TESTING

Persistently infected animals can be detected by conducting a pestivirus antigen test. This test only needs to be conducted once in an animal's life. Cattle that test positive in most cases are persistently infected animals. Pestivirus antibody testing may be done to check the pestivirus status of the herd. Dairy cattle may be tested through bulk milk testing. Contact your veterinarian for assistance. Producers who don't know the answer to these questions should tick the 'N' box.

## QUESTION 5: JOHNES DISEASE TESTING

**Note: JD is a notifiable disease, so it is important to answer these questions.**

**Check test** — testing of 50 adult animals in the herd (or all eligible animals in a herd if less than 50 adult animals) biased to increase the probability of detecting infection, tested by (pooled) faecal culture or (pooled) HT-J faecal PCR. An ELISA test is available but is not recommended and also not accepted for entry of cattle to WA.

**Sample test** — screening of the adult herd or a large representative sample of the adult herd by an approved test (pooled) faecal culture or (pooled) HT-J faecal PCR. See note above for ELISA test.

**Herd Environmental Culture (HEC) Check Test** (for dairy cattle) — a test of a representative sample of faecal material from the yard (see JD in [Cattle Definitions & Guidelines](#) for details). Details are available at [www.animalhealthaustralia.com.au/did-cattle-tools](http://www.animalhealthaustralia.com.au/did-cattle-tools).

## QUESTIONS 6 & 7: JOHNES DISEASE

Occurrence of JD refers to clinical disease in the herd or on the property(s). Clinical disease is an infected animal with chronic diarrhoea and weight-loss that does not respond to treatment.

The **Johnes Beef Assurance Score** (1-BAS) is a voluntary tool developed for JD risk profiling. Details are available at [www.animalhealthaustralia.com.au/jd-cattle-tools](http://www.animalhealthaustralia.com.au/jd-cattle-tools). The J-BAS is an initial guide and purchasers should ask for more information about JD in the origin herd (see the JD in Cattle Biosecurity Checklist on the 'JD in cattle' webpage). The National Farm Biosecurity Reference Manual - Grazing Livestock Production provides a template to use for the property biosecurity plan. All plans should include the JD in Cattle Biosecurity Plan Checklist.

The **Johnes Disease Dairy Score (JDDS)** is a voluntary tool for JD risk profiling in dairy cattle. Information is available at [www.dairyaustralia.com.au/bid](http://www.dairyaustralia.com.au/bid)

**Grazing of non-bovine species** - Buyers of cattle from this consignment may consider the grazing of other JD-susceptible species (sheep, goats, alpacas) on the source property as important to their risk-management decisions. These buyers are entitled to seek information on how you have managed disease risks for all your livestock.

## TREATMENTS & VACCINATIONS

Provide details on any cattle treatments in the last six (6) months and vaccinations within the last twelve (12) months.

Some manufacturers include more than one of the categories listed in the same vaccine, known as a combination vaccine. If you use a combination vaccine, each agent(s), as appropriate, should be detailed.

For vaccinations to be current, you must have followed the manufacturer's recommendation for vaccination. Typically, young animals or first time vaccinated animals need two (2) doses, followed by annual boosters. As variations to this general rule do occur (e.g. Silirum is given once only), you must use the manufacturer's recommendations.

At the date the declaration is made and as a result of the vaccination(s) given, the animals are considered protected from the diseases marked as treated.

## DECLARATION

This section must only be completed by the owner or person responsible for the husbandry of the cattle in the consignment. For more information on what is fit to travel, please see MLAs Is it fit to load? at [www.mla.com.au/isitfitoload](http://www.mla.com.au/isitfitoload).

**For more information on biosecurity go to [www.farmbiosecurity.com.au](http://www.farmbiosecurity.com.au)**